Sub B7

characterized in that the epoxy silane has the formula

AT

where k is an integer between 0 and 4, r is 0 or 1, I is an integer between 1 and 6, m is an integer between 1 and 6 and Alk is an alkyl group having 1 to 6 carbon atoms.--

Sulo 69)

j #=

A, which contains a composition according to claim 1, and a container B, which contains a hardener, whereby the container A and/or B may further contain conventional additives.--

REMARKS

The above changes in the claims merely place this national phase application in the same condition as it was during Chapter II of the international phase, with the multiple dependencies being removed.

Claims 1-12 are pending in the present application.

Entry of the above amendments is earnestly solicited. An early and favorable first action on the merits is earnestly requested.

Should there be any matters that need to be resolved in the present application, the Examiner is respectfully requested to contact the undersigned at the telephone number listed below.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE."

Docket No. 3501-1001

the same and the same that the same area and the same area and the same area and the same area same area.

The Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 25-0120 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17.

Respectfully submitted,

YOUNG & THOMPSON

Benoît Castel, Reg. No. 35,041

Benoit Castel

745 South 23rd Street Arlington, VA 22202

Telephone (703) 521-2297

BC/lmt Attachments

Docket No. 3501-1001

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS:

The claims have been amended as follows:

- --3. (amended) A composition as claimed in claim 1 or 2, c h a r a c t e r i z e d in that the non-aromatic epoxy resin is a branched aliphatic epoxy resin.--
- --9. (amended) A composition as claimed in any one of claims claim 1—to 8, characterized in that the epoxy silane has the formula

where k is an integer between 0 and 4, r is 0 or 1, I is an integer between 1 and 6, m is an integer between 1 and 6 and Alk is an alkyl group having 1 to 6 carbon atoms.--

--12. (amended) A kit, **characterized** by comprising a container A, which contains a composition according to any one of claimsclaim 1 to 11, and a container B, which contains a hardener, whereby the container A and/or B may further contain conventional additives.--

ABSTRACT

A paint composition has a resin constituent which includes (i) a non-aromatic epoxy resin, (ii) a polysiloxane and (iii) an epoxysilane. The paint composition has an anti-corrosive effect.

The invention relates to a

A paint composition comprisinghas a resin constituent which includes (i) a non-aromatic epoxy resin, (ii) a polysiloxane and (iii) an epoxysilane. The paint composition of the invention has an anti-corrosive effect.